
(5) Build & Price





Competitive Comparison

Explore 🕟 Build & Price

Competitive Comparison

OPTIONAL PACKAGES

TUNDRA DOUBLE CAB SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Heated Leather Wrapped Steering Wheel
- Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- Trailer Brake Controller
- Multi-Terrain Select
- LED Fog Lamps
- **SR5 TRD SPORT**
- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Dual Zone Automatic Climate Control
- TRD Sport Tuned Shock Absorbers
- 265/60R20 All Season Tires
- Active Grille Shutters
- TRD Front Grille

TRD OFF ROAD (TOWING MIRRORS)

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Rear Shoulder Room mm (in.): 1585 (62.4)
- Fuel Capacity litres (gal.): 121 (32)
- Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille

Ontario

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5080 (11199)
- Dual Zone Automatic Climate Control
- Trailer Brake Controller
- Active Front Spoiler
- P265/70R18
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- TRD Heated Steering Wheel
- Active Grille Shutters
- Heated Front Seats
- P265/70R18
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Blind Spot Monitoring with RCTA
- Hill-start Assist Control (HAC)
- TRD Heated Steering Wheel
- Active Front Spoiler
- LED Fog Lamps
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Towing Capacity kg (lbs.): 5080 (11199)
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- Trailer Brake Controller
- Multi-Terrain Select
- LED Fog Lamps

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 121 (32)
- Hill-start Assist Control (HAC)
- Active Grille Shutters
- Heated Front Seats
- 8-way Power Adjustable Driver and Passenger Seats
- Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 121 (32)
- Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- Locking Rear Differential
- Crawl Control (CRAWL)
- TRD Front Grille
- 8-way Power Adjustable Driver and Passenger Seats
- · Intuitive Parking Assist with Auto Braking
- Fuel Capacity litres (gal.): 121 (32)
- 20" TRD Sport alloy wheels
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller
- Heated Front Seats
- 8-way Power Adjustable Driver and Passenger Seats
- Intuitive Parking Assist with Auto Braking
- Power Extendable/Folding Towing Mirrors

PRODUCT SUMMARY CREATION: DEC 18, 2023, 01:45 PM EST 2 / 20

- Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels TRD Heated Steering Wheel

· Active Grille Shutters

· Heated Front Seats

P265/70R18

Explore

(5) Build & Price

Competitive Comparison

TUNDRA DOUBLE CAB LIMITED

LIMITED TRD OFF ROAD

- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- Locking Rear Differential
- TRD Front Grille

- DAC (Downhill Assist Control)
- Multi Terrain View Monitor
- Crawl Control (CRAWL)
- P265/70R18

- Remove: Active Front Spoiler
- TRD Heated Steering Wheel
- Multi-Terrain Select



(5) Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS

Double Cab SR 4X2 Regular Double Cab SR 4X2 Long Bed Double Cab SR Double Cab SR5 L Double Cab Limited ● Standard - Not Available ↑ Available Bed

SAFETY & CONVENIENCE

SAFETY

Front Seat Side Airbags	٠	٠	٠	•	•
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	٠	٠	٠	•	•
Child Protector Rear Door Locks	٠	٠	٠	•	٠
Driver and Front Passenger Knee Airbags	٠	٠	٠	•	•
Backup Camera with Back Guide Monitor	٠	٠	٠	•	٠
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	•	•
Intuitive Parking Assist with Auto Braking	-	-	\uparrow	-	•
Blind Spot Monitoring with RCTA		-	\uparrow		•

STAR SAFETY SYSTEM

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	٠	•	٠	٠	٠
Star Safety System: Brake Assist (BA)	•	•	٠	٠	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	٠	٠	•
Star Safety System: Smart Stop Technology (SST)	•	•	٠	٠	•
Star Safety System: Traction Control (TRAC)	•	•	•	•	•

TOYOTA SAFETY SENSE 2.5

Right/Left Turn Oncoming Pedestrian Detection /Braking	•	•	•	•	•
Lane Tracing Assist	٠	•	•	•	•
Left Turn Oncoming Vehicle Detection/Braking	٠	٠	•	•	٠
Automatic High Beam	٠	٠	•	•	٠
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•
Dynamic Radar Cruise Control	٠	٠	•	•	٠
Lane Departure Alert with Steering Assist	٠	٠	•	•	٠
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•
Sway Warning System	٠	•	•	•	•
WARNING					
Tire Pressure Monitoring System with Auto Location	•	•	•	•	•
CONVENIENCE					
Smart Key w/Push Button Start	•	•			-







(5) Build & Price

STANDARD SPECIFICATIONS Standard — Not Available ↑ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Power Door Locks	•	•	•	•	•
12Volt Accessory Power Outlet	•	•	•	•	٠
Smart Key w/Push Button Start + Tailgate	-		•	•	•
Wireless Charging	-				•
Tailgate Release Bump Switch (located in driver's- side taillight)		-	-	-	•
SECURITY					
Anti-Theft Alarm System	٠	٠	•	•	٠

Competitive Comparison

INFOTAINMENT

TOYOTA MULTIMEDIA

SiriusXM Audio	•	•	•	•	•
HD Radio	•	•	•	•	٠
Toyota Assistant	•	•	•	•	٠
Wireless Apple CarPlay Compatibility	•	•	•	•	٠
Wireless Android Auto Compatibility	•	•	•	•	•
6 Speakers	•	•	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•	•	•	_
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	•	•	
8" Toyota Multimedia	•	•	•	•	-
Bluetooth Capability	•	•	•	•	•
14" Toyota Multimedia	-	-	-	-	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)	-	-	-	-	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	-	-	-	-	•
AUDIO					
USB Input/Charging Port	•	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6412 (252.4)	5932 (233.5)	6412 (252.4)	5932 (233.5)
Width mm (in.)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)	2030 (79.9)
Height mm (in.)	1926 (75.8)	1926 (75.8)	1982 (78.0)	1982 (78.0)	1982 (78.0)
Wheelbase mm (in.)	3699 (145.6)	4179 (164.5)	3699 (145.6)	4179 (164.5)	3699 (145.6)
Seating Capacity	5	5	5	5	5
Ground Clearance mm (in.)	264 (10.4)	262 (10.3)	279 (11.0)	274 (10.8)	277 (10.9)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)

2024 Tundra Double Cab Gas

(5) Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS Standard — Not Available Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)	846 (33.3)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)	1611 (63.4)
Gross Vehicle Weight kg (lbs.)	3191.03 (7035.0)	3249.99 (7165.0)	3295.35 (7265.0)	3345.25 (7375.0)	3315.76 (7310.0)
Towing Capacity kg (lbs.)	3760 (8289)	3760 (8289)	3760 (8289)	5030 (11089)	5035 (11100)
Payload(GVWR-curb weight) kg (lbs.)*	880 (1940)	850 (1874)	855 (1885)	820 (1808)	825 (1819)
Base Curb Weight kg (lbs.)	2310.01 (5092.7)	2400.01 (5291.1)	2440.01 (5379.3)	2525.02 (5566.7)	2490.00 (5489.5)
Fuel Capacity litres (gal.)	83 (22)	85 (22)	83 (22)	121 (32)	121 (32)
Fuel Consumption - City/Highway/Combined L /100km	13.1/10.1/11.8	13.1/10.1/11.8	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	g 22/28/24	22/28/24	21/27/23	21/27/23	21/27/23
Horsepower (kW)	348 (260)	348 (260)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	23	23	21	21	21
Departure Angle (Degrees)	22	22	24	24	24
Cargo Bed Length	-	-	1982 (78.0)	2469 (97.2)	1982 (78.0)

POWERTRAIN & MECHANICAL

TRANSMISSION

10-speed Direct Shift Automatic Transmission	•	٠	•	•	•
BRAKES					
Electric Parking Brake (EPB)	•	•	•	•	•
ENGINE					
Intercooled	•	٠	٠	٠	٠
3.5 Litre Twin Turbo V6	•	٠	٠	٠	٠
Stop and Start Engine System (S&S)	•	٠	•	٠	•
SUSPENSION					
Independent Front Suspension	•	٠	٠	٠	٠
Rear Coil Springs	•	٠	•	٠	•
MECHANICAL FEATURES					
Tow Package - Heavy Duty Tow Hitch Receiver	•	٠	٠	•	•
Drive Mode Select (Sport, Eco and Normal Modes)		-	-	•	•
TRUCK BED					
Header rail	•	٠	٠	٠	•
400 Watt (120V) Cargo Bed Power Outlet	-	-	-	-	٠
Side Rail with Four Adjustable Tie Down Cleats		-	\uparrow	-	•

INTERIOR





TADDARD SPECIFICATIONS Deble Das RA2 Long all Deble Das RA2 Long RA2		
ay and Night Mechanical Rear View Mirror w/Homelink (EC)LCOORINGLCOORINGLE asson Floor MatisTEREING WHEELLik A Telescopic Steering WheelAINDOWS	Double Cab SR5 L	Double Cab Limited
Lettochnomic Rear View Mirror w/Homelink (EC)LOORINGI		
LI Geson Roor Mats II Season Roor Mats II Seas	•	-
Il Season Floor Mats Il Season Floor Mats It Season Floor Mats	_	•
THEELING WHEEL ● ● ● It & Telescopic Steering Wheel ● ● ● leated Leather Wrapped Steering Wheel ● ● ● vinDows ● ● ● ● vinDows ●		
it & Telescopic Steering Wheel 6 ieated Leather Wrapped Steering Wheel 7 WINDOWS Tront Windshield Acoustic Glass 6 19 19 19 19 19 19 19 19 19 19	•	٠
leated Leather Wrapped Steering Wheel – – – ↑ ↑ VINDOWS Torit Windshield Acoustic Glass ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●		
VINDOWS ront Windshield Acoustic Glass ● <td>•</td> <td>•</td>	•	•
Interface Rear Window Defroster ● ● ear Side Window Privacy Glass ● ● ● ower Sliding Rear Window ●	•	•
incrt Windshield Acoustic Glass ● ● ilectric Rear Window Defroster ● ● istear Side Window Privacy Glass ● ● iower Sliding Rear Window ● ● ● iower Sliding Rear Window ● <t< td=""><td></td><td></td></t<>		
lectric Rear Window Defroster ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	•	•
ear Side Window Privacy Glass ower Sliding Rear Window i ear Window i ear Window Frame i ear Seat Heater Ducts ingle Zone Automatic Climate Control ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts ingle Zone Automatic Climate Control i ear Seat Heater Ducts i ear Seat Heater Heat	•	•
ower Sliding Rear Window••••lack Window Frame••ower Windows with Driver Side Auto Up / Down••cear Seat Heater Ducts••••ingle Zone Automatic Climate Control••••bual Zone Automatic Climate Control••val Zone Automatic Climate Control••bual Zone Automatic Climate Control••columeter••columeter•••built Exerce•••columeter••••columeter••••columeter•••••• <td< td=""><td>•</td><td>•</td></td<>	•	•
lack Window Frame ● ● ● ← ← ○ ● ○ ● ○ ● ○ ● ○ ● ○ ● ○ ● ○	•	•
ower Windows with Driver Side Auto Up / Down – – – – – ● LIMATE CONTROL ear Seat Heater Ducts ● ● ● ● ● ● ingle Zone Automatic Climate Control ● ● ● ● ● hual Zone Automatic Climate Control − – – – ↑ ↑ NSTRUMENTATION I.2-in. colour TFT Multi Information Display ● ● ● ● ● ● Pil Pressure Gauge ● ● ● ● ● ● ● Pil Pressure Gauge ● ● ● ● ● Pil Pressure Gauge ● ● ● ● ● Pil Pressure Gauge ● ● ● ● Pil Pressure Gauge ● ● ● ● Pil Pressure Gauge ● ● ● ● Pil Pressure Gauge ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●		
LIMATE CONTROL Lear Seat Heater Ducts ingle Zone Automatic Climate Control oual Zone Automatic Climate Control - - val Zone Automatic Climate Control - - NETRUMENTATION - <td>•</td> <td>•</td>	•	•
tear Seat Heater Ducts ingle Zone Automatic Climate Control ingle Zone Automatic Cli		
ingle Zone Automatic Climate Control Index Control Index	•	•
pual Zone Automatic Climate Control – – ↑ ↑ NSTRUMENTATION 2-2-in. colour TFT Multi Information Display ● ● ● ● ● Dil Pressure Gauge ● ● ● ● ● ● Yoltmeter ● ● ● ● ● ● NTERIOR LIGHTING Ituminated Entry ● ● ● ● ● ● SEATS abric Seats ● ● ● ● ● Heated Front Seats ● ● ● ● ● ● Heated Front Seats ● ● ● ● ● Heated Front Seats ● ● ● ● ● Heated Front Seats ● ● ● ● ● ● Heated Front Seats ● ● ● ● ● ● Heated Front Seats ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	•	
NSTRUMENTATION .2-in. colour TFT Multi Information Display .2-in. colour TFT Multi Information Display .2-i	•	•
2-in. colour TFT Multi Information Display .2-in. colour TFT Mul	•	`
Dil Pressure Gauge ● ● foltmeter ● ● NTERIOR LIGHTING ● ● Ituminated Entry ● ● sears ● ● abric Seats ● ● leated Front Seats ● ● -way Power Adjustable Driver and Passenger eats ● ● -way Power Adjustable Driver and Passenger eats ● ●		
Yoltmeter ● ● ● NTERIOR LIGHTING ● ● ● Illuminated Entry ● ● ● REATS ● ● ● Iabric Seats ● ● ● Heated Front Seats ● ● ● I-way Power Adjustable Driver and Passenger ● ● ● I-way Power Adjustable Driver and Passenger ● ● ●	•	•
NTERIOR LIGHTING ● ● luminated Entry ● ● seats ● ● abric Seats ● ● leated Front Seats ● ● -way Power Adjustable Driver and Passenger eats ● ● -way Power Adjustable Driver and Passenger ● ● -way Power Adjustable Driver and Passenger ● ●	•	•
Iluminated Entry ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●	•	•
Iuminated Entry ● ● EATS ■ ● abric Seats ● ● teated Front Seats ■ ● -way Power Adjustable Driver and Passenger ■ ● -way Power Adjustable Driver and Passenger ■ ● -way Power Adjustable Driver and Passenger ■ ●		
abric Seats●●Heated Front Seats↑I-way Power Adjustable Driver and Passenger teats↑I-way Power Adjustable Driver and Passenger umbar Support↑	•	•
abric Seats●●leated Front Seats↑-way Power Adjustable Driver and Passenger eats↑-way Power Adjustable Driver and Passenger umbar Support↑		
Heated Front Seats - - ↑ -way Power Adjustable Driver and Passenger eats - - ↑ -way Power Adjustable Driver and Passenger unbar Support - - ↑	-	
-way Power Adjustable Driver and Passenger - ↑ -way Power Adjustable Driver and Passenger - ↑ -way Power Adjustable Driver and Passenger - ↑	•	•
eatsway Power Adjustable Driver and Passenger umbar Support		
umbar Support	•	•
antilated Erent Seate	•	•
entitated from Seats		•
river Seat Memory System – –		•
ofTex Seats — — — —		•
RIM		

•

Silver Inside Door Handle

٠

•



Explore	🕤 Build & Pr

Competitive Comparison

STANDARD SPECIFICATIONS Standard — Not Available Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
Leather Wrapped Shift Knob		-	\uparrow	•	•
EXTERIOR					
TIRES					
P245/75R18	•	•	•		
P265/70R18	-	-	\uparrow	•	\uparrow
265/60R20 All Season Tires		-	\uparrow		•
WIPERS					
Variable Intermittent Wipers	•	•	•	٠	•
Windshield Wiper Deicer	•	•	•	•	•
EXTERIOR MIRRORS					
Power Adjustable Heated Exterior Mirrors	•	•	٠	•	•
Power Folding Mirrors	-	-	-	-	•
Memory Mirrors	-	-	-	-	•
Electrochromic Driver's Side View Mirror	-	-	-		•
EXTERIOR LIGHTING					
Bi-Beam LED Headlamps	•	•	•	•	•
Headlamps with Manual Level Control	•	•	•	•	•
LED Daytime Running Lights	-	-	•	•	•
LED Fog Lamps	-	-	\uparrow	•	•
EXTERIOR					
Black Mud Guards	•	•	•	•	•
Active Grille Shutters	-	-	\uparrow	•	•
Active Front Spoiler	-	-	\uparrow	•	•

WHEELS

18" Styled Steel Wheels	•	•	•	-	
18" Alloy Wheels		-	\uparrow	•	-
20" Alloy Wheels				-	•
20" TRD Sport alloy wheels		-	\uparrow	-	-

MECHANICAL FEATURES

Part-Time 4WD		-	•	•	•
Trailer Brake Controller		-	\uparrow	•	•
Hill-start Assist Control (HAC)	-	-	\uparrow	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	-	-	\uparrow	-	-

OPTIONAL FEATURES

OPTIONAL FEATURES



Explore

(5) Build & Price Comp

Competitive Comparison

STANDARD SPECIFICATIONS • Standard Not Available ^ Available	Double Cab SR 4X2 Regular Bed	Double Cab SR 4X2 Long Bed	Double Cab SR	Double Cab SR5 L	Double Cab Limited
TRD Front Grille	_	-	\uparrow		\uparrow
DAC (Downhill Assist Control)	-	-	\uparrow	-	\uparrow
Multi-Terrain Select	-	-	\uparrow	-	\uparrow
Crawl Control (CRAWL)	-	-	\uparrow		\uparrow
Locking Rear Differential	-	-	\uparrow	-	\uparrow
TRD Off Road Shock Absorbers	-	-	\uparrow	-	\uparrow
18" Offroad Alloy Wheels	-	-	\uparrow	-	\uparrow
TRD Leather Wrapped Shift Knob	-	-	\uparrow	-	-
TRD Heated Steering Wheel	-	-	\uparrow		\uparrow
TRD Sport Tuned Shock Absorbers		-	\uparrow		
Power Extendable/Folding Towing Mirrors		-	\uparrow		
Remove: Active Front Spoiler		-	-	-	\uparrow
Multi Terrain View Monitor		-	-	-	\uparrow

🕤 Build & Price

Explore

Competitive Comparison

IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and for vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle witched weight of any require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist head of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclist, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System offectiveness depends on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same directive. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving.

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are vour bests tource for un-to-adte information. The Toyota ca is updated requipment and it or your Toyota Dealer are vour bests source for un-to-adte information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.



2024 Tundra CrewMax Cab Gas (5) Build & Price Competitive Comparison MODELS CrewMax SR CrewMax SR5 L **CrewMax Limited** PACKAGE PACKAGE PACKAGE Standard Package Standard Package Limited Nightshade L Tundra SR5 Ly Tundra TRD Off Road Ly Tundra Limited TRD Off Road L Tundra TRD Sport L, TRD Off Road (Towing Mirrors) L Tundra SR5 TRD Off Road **CrewMax Limited L CrewMax Platinum CrewMax Platinum L** PACKAGE PACKAGE PACKAGE Limited Nightshade L Standard Package Standard Package L, Platinum (Towing Mirrors) L Platinum (Towing Mirrors) Ly Tundra Limited TRD Off Road Ly Tundra Platinum 1794 L Tundra Platinum 1794 L 1794 (Towing Mirrors) L 1794 (Towing Mirrors) AVAILABLE EXTERIOR COLOURS Magnetic Grey Metallic White Wind Chill Pearl Celestial Silver Metallic Midnight Black Metallic Supersonic Red Smoked Mesquite Lunar Rock Blueprint AVAILABLE INTERIOR COLOURS Black Cloth Black SofTex Grey SofTex Black Leather Saddle Tan Leather



Explore 💿 Build & Price

Competitive Comparison



OPTIONAL PACKAGES

TUNDRA CREWMAX SR

SR5

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Heated Leather Wrapped Steering Wheel
- Leather Wrapped Shift Knob
- 18" Alloy Wheels
- LED Fog Lamps

SR5 TRD OFF ROAD

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- Blind Spot Monitoring with RCTA
- 18" Offroad Alloy Wheels
- TRD Heated Steering Wheel
- Active Grille Shutters
- TRD Front Grille

TRD SPORT

- Fuel Consumption City/Highway/Combined L /100km: 13.5/10.6/12.2
- Drive Mode Select (Sport, Eco and Normal Modes)
- Towing Capacity kg (lbs.): 5060 (11155)
- Blind Spot Monitoring with RCTA
- Hill-start Assist Control (HAC)
- TRD Heated Steering Wheel
- Active Front Spoiler
- LED Fog Lamps

TUNDRA CREWMAX SR5 L

TRD OFF ROAD

- Side Rail with Four Adjustable Tie Down Cleats
- TRD Leather Wrapped Shift Knob
- Remove: Active Front Spoiler
- Locking Rear Differential
- TRD Front Grille

- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Towing Capacity kg (lbs.): 5060 (11155)
- Dual Zone Automatic Climate Control
- Trailer Brake Controller
- Active Front Spoiler
- P265/70R18
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 121 (32)
- Hill-start Assist Control (HAC)
- DAC (Downhill Assist Control)
- Locking Rear Differential
- Multi-Terrain Select
- LED Fog Lamps
- 2-way Power Adjustable Driver and Passenger Lumbar Support
- Side Rail with Four Adjustable Tie Down Cleats
- Fuel Capacity litres (gal.): 121 (32)
- 20" TRD Sport alloy wheels
- TRD Leather Wrapped Shift Knob
- Trailer Brake Controller

- 8-way Power Adjustable Driver and Passenger Seats
- Fuel Capacity litres (gal.): 121 (32)
- Hill-start Assist Control (HAC)
- Active Grille Shutters
- Heated Front Seats
- 8-way Power Adjustable Driver and Passenger Seats
- Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- TRD Leather Wrapped Shift Knob
- TRD Off Road Shock Absorbers
- Trailer Brake Controller
- Heated Front Seats
- P265/70R18
- 8-way Power Adjustable Driver and Passenger Seats
- Intuitive Parking Assist with Auto Braking
- Dual Zone Automatic Climate Control
- TRD Sport Tuned Shock Absorbers
- 265/60R20 All Season Tires
- Active Grille Shutters
- TRD Front Grille

- Intuitive Parking Assist with Auto Braking
- 18" Offroad Alloy Wheels
- TRD Off Road Shock Absorbers
- Crawl Control (CRAWL)

- Blind Spot Monitoring with RCTA
- DAC (Downhill Assist Control)
- TRD Heated Steering Wheel
- Multi-Terrain Select

Heated Front Seats

Explore (5) Build & Price	Competitive Comparison	
TRD OFF ROAD (TOWING MIRRORS)		
Side Rail with Four Adjustable Tie Down Cleats	Intuitive Parking Assist with Auto Braking	Power Extendable/Folding Towing Mirrors
Blind Spot Monitoring with RCTA	• TRD Leather Wrapped Shift Knob	• 18" Offroad Alloy Wheels
• DAC (Downhill Assist Control)	• Remove: Active Front Spoiler	• TRD Off Road Shock Absorbers
TRD Heated Steering Wheel	Locking Rear Differential	Crawl Control (CRAWL)
• Multi-Terrain Select	• TRD Front Grille	
TUNDRA CREWMAX LIMITED		
LIMITED TRD OFF ROAD		
• 18" Offroad Alloy Wheels	• DAC (Downhill Assist Control)	• Remove: Active Front Spoiler
TRD Off Road Shock Absorbers	Multi Terrain View Monitor	TRD Heated Steering Wheel
Locking Rear Differential	Crawl Control (CRAWL)	• Multi-Terrain Select
• TRD Front Grille	• P265/70R18	
TUNDRA CREWMAX LIMITED L		
LIMITED TRD OFF ROAD		
• 18" Offroad Alloy Wheels	• DAC (Downhill Assist Control)	Remove: Active Front Spoiler
TRD Off Road Shock Absorbers	Multi Terrain View Monitor	TRD Heated Steering Wheel
Locking Rear Differential	Crawl Control (CRAWL)	• Multi-Terrain Select
• TRD Front Grille	• P265/70R18	
TUNDRA CREWMAX PLATINUM		
PLATINUM 1794		
20" Machine-finished alloy wheels	Chrome grille and exterior accents	• Real Walnut Wood Trim
PLATINUM (TOWING MIRRORS)		
Power Extendable/Folding Towing Mirrors		
1794 (TOWING MIRRORS)		
Power Extendable/Folding Towing Mirrors	• 20" Machine-finished alloy wheels	Chrome grille and exterior accents
• Real Walnut Wood Trim		
TUNDRA CREWMAX PLATINUM	L	
PLATINUM 1794		
• 20" Machine-finished alloy wheels	Chrome grille and exterior accents	• Real Walnut Wood Trim

1794 (TOWING MIRRORS)

Power Extendable/Folding Towing Mirrors

• Real Walnut Wood Trim

- 20" Machine-finished alloy wheels
- Chrome grille and exterior accents



Explore

(5) Build & Price

Competitive Comparison

STANDARD SPECIFICATIONS

● Standard — Not Available ↑ Available CrewMax SR CrewMax SR5 L CrewMax Limited CrewMax Limited L CrewMax Platinum CrewMax Platinum L

SAFETY & CONVENIENCE

SAFETY

Front Seat Side Airbags	٠	٠	•	٠	٠	٠
Driver & Passenger Airbag Supplemental Restraint System (SRS)	•	•	•	•	•	•
Roll-Sensing Front Head/Side Curtain Airbags	٠	٠	•	٠	٠	٠
Child Protector Rear Door Locks	٠	٠	•	٠	٠	٠
Driver and Front Passenger Knee Airbags	•	•	•	٠	٠	٠
Backup Camera with Back Guide Monitor	•	•	•	٠	-	-
Driver & Passenger Side B-Pillar Assist Grip, Passenger Side A-Pillar Assist Grip	•	•	•	٠	•	•
Intuitive Parking Assist with Auto Braking	\uparrow	\uparrow	•	٠	٠	٠
Blind Spot Monitoring with RCTA	\uparrow	\uparrow	•	٠	٠	٠
Panoramic View Monitor	-		-		٠	•

STAR SAFETY SYSTEM

Star Safety System: Electronic Brake Force Distribution (EBD)	•	•	•	•	•	•
Star Safety System: Anti-lock Brake System (ABS)	•	•	•	•	•	٠
Star Safety System: Brake Assist (BA)	•	•	•	•	•	•
Star Safety System: Vehicle Stability Control (VSC)	•	•	•	•	•	•
Star Safety System: Smart Stop Technology (SST)	•	•	•	•	•	•
Star Safety System: Traction Control (TRAC)	٠	•	•	•	•	٠

TOYOTA SAFETY SENSE 2.5

Right/Left Turn Oncoming Pedestrian Detection/Braking	•	•	٠	•	٠	•
Lane Tracing Assist	•	•	٠	•	٠	•
Left Turn Oncoming Vehicle Detection/Braking	٠	٠	٠	•	٠	٠
Automatic High Beam	٠	•	٠	•	٠	•
Pre-Collision System with Pedestrian Detection, Cyclist Detection and Night Time Pedestrian Detection	•	•	•	•	•	•
Dynamic Radar Cruise Control	٠	•	٠	•	٠	•
Lane Departure Alert with Steering Assist	٠	•	٠	•	٠	•
Pre-Collision System with Risk Avoidance Emergency Steering Assist	•	•	•	•	•	•
Sway Warning System	•	•	•	•	•	•
WARNING						
Tire Pressure Monitoring System with Auto Location	•	•	•	•	٠	•
CONVENIENCE						
Power Door Locks	•	•	•	•	٠	•
12Volt Accessory Power Outlet	•	•	٠	•	٠	•





(5) Build & Price



STANDARD SPECIFICATIONS Standard — Not Available Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Smart Key w/Push Button Start + Tailgate	٠	•	•	•	•	٠
Wireless Charging	-	-	٠	•	•	٠
Tailgate Release Bump Switch (located in driver's-side taillight)	-		•	•	•	•
Trailer Backup Guide w/ Straight Path Assist	-	-	-	-	•	•
SECURITY						
Anti-Theft Alarm System	٠	•	•	•	•	٠

Competitive Comparison

INFOTAINMENT

TOYOTA MULTIMEDIA

SiriusXM Audio	٠	•	٠	•	•	٠
HD Radio	٠	٠	٠	٠	٠	٠
Toyota Assistant	٠	٠	٠	٠	٠	٠
Wireless Apple CarPlay Compatibility	٠	•	٠	•	•	•
Wireless Android Auto Compatibility	٠	•	٠	•	•	•
Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist) - Paid Subscription Required	•	•			_	-
Toyota Multimedia w/Service Con. (up to 10 yr. trial), Safety Con. (Up to 10 yr. trial) and Remote Con. (3 yr. trial)	•	•	-	_	-	-
8" Toyota Multimedia	٠	•	-			
Bluetooth Capability	٠	•	٠	•	•	•
9 Speakers	٠	•	٠	•		
14" Toyota Multimedia	-		•	•	•	•
Toyota Multimedia w/ Service/Safety Con. (up to 10yr trial), Remote Con. (3yr trial), Drive Con. (3yr trial)			•	•	•	•
3 Year Trial of Drive Connect (Cloud Navigation, Intelligent Assistant, Destination Assist)	_	-	•	•	•	•
12 Speaker JBL Audio System	-	-	-	-	•	•
AUDIO						
USB Input/Charging Port	٠	•	•	•	•	•

DIMENSIONS

DIMENSIONS

Length mm (in.)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)	5932 (233.5)	6237 (245.5)
Width mm (in.)	2032 (80.0)	2032 (80.0)	2030 (79.9)	2032 (80.0)	2032 (80.0)	2032 (80.0)
Height mm (in.)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)	1984 (78.1)
Wheelbase mm (in.)	3701 (145.7)	4006 (157.7)	3699 (145.6)	4006 (157.7)	3701 (145.7)	4006 (157.7)
Seating Capacity	5	5	5	5	5	5
Ground Clearance mm (in.)	279 (11.0)	277 (10.9)	279 (11.0)	277 (10.9)	277 (10.9)	274 (10.8)
Front Headroom mm (in.)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)	1042 (41.0)
Rear Headroom mm (in.)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)	978 (38.5)



\sim		ſ
(\$}	Build & Price	Com

Competitive	Comparison
Competitive	Companson

STANDARD SPECIFICATIONS • Standard	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Front Legroom mm (in.)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)	1047 (41.2)
Rear Legroom mm (in.)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)	1057 (41.6)
Front Shoulder Room mm (in.)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)	1651 (65.0)
Rear Shoulder Room mm (in.)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)	1585 (62.4)
Gross Vehicle Weight kg (lbs.)	3270.40 (7210.0)	3329.37 (7340.0)	3280.02 (7231.2)	3340.71 (7365.0)	3304.42 (7285.0)	3345.25 (7375.0)
Towing Capacity kg (lbs.)	3760 (8289)	4990 (11001)	5045 (11122)	4975 (10968)	5010 (11045)	4935 (10880)
Payload(GVWR-curb weight) kg (lbs.)*	825 (1819)	780 (1720)	790 (1742)	745 (1642)	755 (1664)	715 (1576)
Base Curb Weight kg (lbs.)	2445.00 (5390.3)	2550.01 (5621.8)	2490.00 (5489.5)	2595.01 (5721.0)	2550.01 (5621.8)	2630.02 (5798.2)
Fuel Capacity litres (gal.)	83 (22)	121 (32)	121 (32)	121 (32)	121 (32)	121 (32)
Fuel Consumption - City/Highway/Combined L/100km	13.6/10.4/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2	13.5/10.6/12.2
Fuel Consumption - City/Highway/Combined mpg	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23	21/27/23
Horsepower (kW)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)	389 (290)
Approach Angle (Degrees)	21	21	21	21	21	21
Departure Angle (Degrees)	24	24	24	24	24	24
Cargo Bed Length	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)	1677 (66.0)	1982 (78.0)
3rd Seat Headroom mm (in.)	-	-	-	1096	-	-
3rd Seat Shoulder Room mm (in.)	-	-	-	27	-	-

POWERTRAIN & MECHANICAL

TRA	NS	ศเรร	ION	

IRANSMISSION						
10-speed Direct Shift Automatic Transmission	٠	٠	٠	٠	٠	٠
BRAKES						
Electric Parking Brake (EPB)	٠	٠	•	٠	٠	٠
ENGINE						
Intercooled	٠	٠	٠	•	٠	٠
3.5 Litre Twin Turbo V6	٠	•	•	•	•	•
Stop and Start Engine System (S&S)	٠	٠	•	•	٠	٠
Active Noise Control	-	_	-	_	٠	•
SUSPENSION						
Independent Front Suspension	٠	٠	•	•	٠	٠
Rear Coil Springs	٠	٠	•	٠	٠	٠
MECHANICAL FEATURES						
Tow Package - Heavy Duty Tow Hitch Receiver	٠	٠	•	•	٠	٠
Drive Mode Select (Sport, Eco and Normal Modes)	-	٠	٠	٠	٠	٠
Trailer Backup Guide w/ Straight Path Assist	-	_	-	_	٠	٠
TRUCK BED						
Header rail	٠	•	•	•	•	•
400 Watt (120V) Cargo Bed Power Outlet		-	•	•	•	•





Explore 🕥 Build & Price	Compet	itive Comparison				
STANDARD SPECIFICATIONS			_			
🔹 Standard 🛛 — Not Available 🕆 Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Side Rail with Four Adjustable Tie Down Cleats	\uparrow	\uparrow	٠	٠	•	•
INTERIOR						
INTERIOR MIRRORS						
Day and Night Mechanical Rear View Mirror	٠	٠	-			
Electrochromic Rear View Mirror w/Homelink (EC)	-	-	٠	٠		
Digital Display Rear View Mirror with Homelink	-	-	-		٠	٠
FLOORING						
All Season Floor Mats	٠	٠	٠	٠	٠	٠
STEERING WHEEL						
Tilt & Telescopic Steering Wheel	•	•	•	•		
Heated Leather Wrapped Steering Wheel	\uparrow	•	•	•	•	•
Power Tilt & Telescopic Steering Wheel	-	-	-	-	•	•
WINDOWS						
Front Windshield Acoustic Glass	•	•	•	•	•	•
Electric Rear Window Defroster	•	•	•	•	•	•
Rear Side Window Privacy Glass	•	•	•	-	•	•
Power Windows with Driver Side Auto Up / Down	•	-	•	•	•	•
Power Vertical Sliding Rear Window	•	•	•	•	•	•
Power Windows with Driver Side Auto Down	-	•	-		-	-
CLIMATE CONTROL						
Rear Seat Heater Ducts	•	•	•	•	•	•
Single Zone Automatic Climate Control	•	-	-			
Dual Zone Automatic Climate Control	\uparrow	•	•	•	•	•
INSTRUMENTATION						
4.2-in. colour TFT Multi Information Display	•	•	•	•		
Oil Pressure Gauge	٠	٠	٠	٠	٠	٠
Voltmeter	٠	٠	٠	٠	٠	٠
12.3-in Full Color TFT Multi Information Display Gauge Cluster	-			-	•	•
Head-Up Display	=	-	-		٠	٠
INTERIOR LIGHTING						
Illuminated Entry	•	•	•	•	•	•
Ambient Lighting	-			-	•	•
SEATS						
Fabric Seats	•	•				
Heated Front Seats	↑	•	•	•	•	•
	•	-	-	-	-	-

024 T J. R.A --



2024 Tundra CrewMa	x Cab Ga	as				тоуот
Explore 🕥 Build & Price	Compet	itive Comparison				
STANDARD SPECIFICATIONS						
● Standard 🛛 — Not Available 1 Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum I
8-way Power Adjustable Driver and Passenger Seats	\uparrow	•	•	•	-	
2-way Power Adjustable Driver and Passenger Lumbar Support	\uparrow	•	•	•		
Ventilated Front Seats			•	•	•	•
Driver Seat Memory System			•	•	•	٠
SofTex Seats	-		•	•		
Heated Rear Seats				-	•	•
Leather Seats	-				•	•
4-way Power Adjustable Driver and Passenger Lumbar Support	-	-	-		•	•
10-way Power Adjustable Driver Seat, 8-way Power Adjustable Passenger Seat				-	•	•
/entilated Rear Seats	-	-	-	-	٠	٠
TRIM						
Silver Inside Door Handle	٠	٠	٠	٠	٠	٠
Leather Wrapped Shift Knob	\uparrow	٠	•	•	٠	٠
EXTERIOR TIRES						
P245/75R18	٠			-		
2265/70R18	\uparrow	٠	\uparrow	\uparrow		
265/60R20 All Season Tires	\uparrow	-	٠	٠	٠	٠
WIPERS						
Variable Intermittent Wipers	٠	٠	٠	٠	-	-
Vindshield Wiper Deicer	٠	٠	٠	٠	•	٠
Rain Sensing Wipers	-	-	_		•	٠
EXTERIOR MIRRORS						
Power Adjustable Heated Exterior Mirrors	٠	•	•	•	•	•

Power Adjustable Heated Exterior Mirrors	•	•	•	•	•	•
Power Folding Mirrors		_	•	٠		-
Memory Mirrors		_	٠	٠	٠	٠
Electrochromic Driver's Side View Mirror	-	-	•	•	•	٠

EXTERIOR LIGHTING

EXTERIOR EIGHTING						
Bi-Beam LED Headlamps	٠	•	٠	٠	-	_
Headlamps with Manual Level Control	٠	•	٠	٠	-	_
LED Daytime Running Lights	٠	•	٠	٠	٠	•
LED Fog Lamps	\uparrow	•	٠	٠	٠	•
Auto Leveling Headlamp System	-		-	-	٠	•
Premium Triple-Beam LED Headlamps	-	-	-	-	•	•

EXTERIOR





2024 Tundra CrewMa		15				101014
Explore 🕥 Build & Price	Compet	itive Comparison				
STANDARD SPECIFICATIONS						
🔹 Standard 🛛 — Not Available 🕆 Available	CrewMax SR	CrewMax SR5 L	CrewMax Limited	CrewMax Limited L	CrewMax Platinum	CrewMax Platinum L
Black Mud Guards	•	•	٠	•	•	•
Active Grille Shutters	\uparrow	٠	٠	•	•	•
Active Front Spoiler	\uparrow	٠	٠	•	•	•
Panoramic Moonroof	-	-	٠	٠	•	•
MIC Black Grille, Overfender, Rear Bumper	-		٠	-	-	-
Body Colour Grille Surround	-	-	٠	-	-	-
Gloss Black Belt Moulding, Exterior Door Handle and Tailgate Handle	-	-	•	-	-	-
Semi Black 4x4 Badge and Name Badge		-	٠			
Chrome grille and exterior accents	-	-	-	-	\uparrow	\uparrow
WHEELS						
18" Styled Steel Wheels	•	-	-	-	-	-
18" Alloy Wheels	\uparrow	٠	-	-	-	-
20" Alloy Wheels	-	-	-	-	•	•
20" TRD Sport alloy wheels	\uparrow	-	•	-		
MECHANICAL FEATURES						
Part-Time 4WD	•	٠	٠	•	٠	•
Frailer Brake Controller	\uparrow	٠	٠	•	•	•
Hill-start Assist Control (HAC)	\uparrow	٠	•	•	•	•
Drive Mode Select (Sport, Eco and Normal Modes)	\uparrow		-	-	-	

OPTIONAL FEATURES

OPTIONAL FEATURES

TRD Front Grille	\uparrow	\uparrow	\uparrow	\uparrow	-	-
DAC (Downhill Assist Control)	\uparrow	\uparrow	\uparrow	\uparrow		-
Multi-Terrain Select	\uparrow	\uparrow	\uparrow	\uparrow	-	_
Crawl Control (CRAWL)		\uparrow	\uparrow	\uparrow	_	
Locking Rear Differential	\uparrow	\uparrow	\uparrow	\uparrow	_	
TRD Off Road Shock Absorbers	\uparrow	\uparrow	\uparrow	\uparrow	_	
18" Offroad Alloy Wheels	\uparrow	\uparrow	\uparrow	\uparrow	_	
TRD Leather Wrapped Shift Knob	\uparrow	\uparrow		-	-	
TRD Heated Steering Wheel	\uparrow	\uparrow	\uparrow	\uparrow	-	-
TRD Sport Tuned Shock Absorbers	\uparrow	-	-	-	-	-
Power Extendable/Folding Towing Mirrors		\uparrow		_	\uparrow	\uparrow
Remove: Active Front Spoiler		\uparrow	\uparrow	\uparrow	_	
Multi Terrain View Monitor			\uparrow	\uparrow	_	
20" Machine-finished alloy wheels		-	-	-	\uparrow	\uparrow
Real Walnut Wood Trim				_	\uparrow	\uparrow



(5) Build & Price

Explore

Competitive Comparison



IMPORTANT PRODUCT INFORMATION

This page contains information and product warnings for a wide variety of specifications, not all of which will be specifications that come with your selected vehicle.

Global supply issues affecting the automotive manufacturing industry are causing new vehicle delivery delays and inventory of some vehicles may be limited. Please contact your local Toyota dealer for information about availability of your preferred Toyota vehicle

* Payload Capacity is the calculation of GVWR minus curb weight and should be used for comparison purposes only. The maximum amount of passenger and cargo weight your vehicle can carry is the Load Carrying Capacity indicated on the label(s) on the driver's doorjamb.

** Due to supply chain shortages, until further notice certain 2023 models equipped with the Digital Display Rear View Mirror will be built with the Auto-Dimming Mirror instead. Please reach out to a Toyota dealership for more details.

Connected Services (general mentions)

Driving while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while distracted can result in loss of vehicle control. Some features may be locked out while the vehicle is in gear. To reduce risk of accident while driving, exercise care when using the systems (even with the voice commands) and obey all local laws concerning use of the systems while driving (as some laws prohibit the use of electronic devices while operating a vehicle). Once the Connected Services by Toyota trial subscription expires, paid enrollment is required. Apple CarPlay, iPhone and Siri are trademarks of Apple Inc. Android Auto and Google Assistant are trademarks of Google LLC. A compatible customer phone pairing is required and customers are responsible for all data charges. Services are dependent upon connection to a compatible wireless network, provided by a third-party wireless service provider. Toyota is not responsible for cellular network discontinuance and will not provide compensation for reduced service availability.

Remote Connect. Use only if aware of circumstances surrounding vehicle and it is legal and safe to do so (e.g., do not remotely start engine if vehicle is in an enclosed space or vehicle is occupied by a child). Remote Connect depends on factors outside of Toyota' control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded. Digital Key also requires Bluetooth connectivity. Service may vary by vehicle and region. Requires app download and registration/subscription after trial (if applicable). Terms of Use apply. Data charges may apply. Remote start/stop not available on manual transmission-equipped vehicles. Services subject to change at any time without notice.

Safety Connect depends on factors outside of Toyota's control, including an operative telematics device, a cellular connection, GPS signal, and the availability of a compatible wireless network, without which system functionality and availability may be limited or precluded, including access to response center and emergency support. Stolen vehicle police report required to use Stolen Vehicle Locator. Automatic Collision Notification activates only in limited circumstances. Requires app download/registration and subscription after trial (if applicable). Service subject to change at any time without notice. Terms of Use apply. Service may vary by vehicle and region. See usage precautions and service limitations in Owner's Manual.

Drive Connect services not available in every city or roadway.

Service Connect information provided is based on the last time data was collected from the vehicle and is not real time data. Service Connect is not renewable as a stand-alone service and requires a subscription to any of Safety Connect, Remote Connect or Drive Connect upon trial expiration.

Birds Eye Camera: Cold weather and other environmental factors may limit system. Operates at low speed or when parked. Do not rely exclusively on the system as it is not intended to replace safe attentive operation of the vehicle. You should also look around outside your vehicle, over your shoulder and use your mirrors to confirm clearance.

Qi Wireless charging: Qi wireless charging may not be compatible with all mobile phones, MP3/WMA players and like models. When using the wireless charging system avoid placing metal objects between the wireless charger and the mobile device when charging is active. Doing so may cause metal objects to become hot and could cause burns.

Towing Capability: Before towing, confirm your vehicle and trailer are compatible, hooked up and loaded properly and that you have any necessary additional equipment. Do not exceed any Weight Ratings and follow all instructions in your Owner's Manual. The maximum you can tow depends on base curb weight plus the total weight of any cargo, occupants, and added vehicle equipment "Added vehicle equipment" includes additional standard/optional equipment and accessories added by the manufacturer, dealers, and for vehicle owners. The only way to be certain of your vehicle's exact curb weight is to weigh your vehicle witched weight of any require disabling or removing the kick sensor, and the sensor operation setting in your vehicle should be turned off. See Owner's Manual for limitations.

Toyota Safety Sense (TSS) Drivers should always be responsible for their own safe driving. Please always pay attention to your surroundings and drive safely. Depending on the conditions of roads, vehicles, weather, etc., the TSS systems may not work as intended.

Pre-Collisions System with Pedestrian & Bicyclist Detection: The TSS Pre-Collision System is designed to help avoid or reduce the impact speed and damage in certain frontal collisions only. The Pedestrian and Bicycle Detection system is designed to detect a pedestrian and bicyclist head of the vehicle, determine if impact is imminent and help reduce impact speed. It is not a substitute for safe and attentive driving. System effectiveness depends on many factors, such as speed, size and position of pedestrians and bicyclist, driver input and weather, light and road conditions. Do not overly rely on the Intuitive Intersection Support system. Always visually confirm that it is safe to proceed. System offectiveness depends on the traffic conditions and intersection configuration. Intersection Support will NOT detect pedestrians crossing the road in the same directive. Emergency Steering Assist may not operate if an oncoming vehicle or an obstacle that would prevent a safe evasive manoeuvre are detected.

Automatic High Beam: Automatic High Beam system operates at speeds above approximately 34 km/h. Factors such as a dirty windshield, variable weather, lighting conditions and hilly terrain will limit effectiveness, requiring the driver to manually turn it off.

Lane Departure Alert with Steering Assist: Lane Departure Alert with Steering Assist is designed to read lane markers under certain conditions and provide visual and audible alerts and slight steering force when lane departure is detected. It is not a collision-avoidance system or a substitute for safe and attentive driving.

Dynamic Radar Cruise Control: Dynamic Radar Cruise Control is designed to assist the driver and is not a collision-avoidance system or a substitute for safe and attentive driving practices. System effectiveness depends on many factors such as weather, traffic and road conditions.

Lane Tracing (Trace) Assist (LTA): Lane Tracing (Trace) Assist (LTA) is designed to read visible lane markers and detect other vehicles under certain conditions. When potential lane departure is detected, LTA provides a visual warning and either an audible alert or vibration in the steering wheel and can apply a slight steering force. It is not a collision-avoidance system or a substitute for safe and attentive driving. Effectiveness is dependent on many factors including road, weather and vehicle conditions.

Colours: Not all exterior and interior colour options are available for every model. Some colours are available at an additional cost. Contact your Dealer for more information.

Fuel efficiency estimates: Fuel efficiency estimates were determined using approved Government of Canada Test Methods. Actual fuel consumption will vary based on driving habits and other factors.

Blind Spot Monitor System and Rear Cross-Traffic Alert System: Do not rely exclusively on the Blind Spot Monitor System and Rear Cross-Traffic Alert System. They are not collision-avoidance systems or substitutes for safe and attentive driving.

Short Range Key Fob Remote Start: Active DCM required. DCM is active during connected services trial periods or with a paid subscription for connected services. Waiving your connected services will deactivate the DCM.

Details on the above features can be found in the Owner's Manuals (available on-line at toyota.ca) or through your local Toyota Dealer and pertains specifically to vehicles sold in Canada at authorized Toyota dealerships only. Every effort has been made to ensure the specifications and equipment described are accurate based on information available at time of creation of this Product Summary. In some cases, certain changes in production capacity, standard equipment, options or product delays may occur which would not be automatically reflected in this Product Summary. Toyota Dealer are vour bests tource for un-to-adte information. The Toyota ca is updated requipment and it or your Toyota Dealer are vour bests source for un-to-adte information.

Date and mileage limitations refer to whichever comes first from the date of first purchase. Warranty coverage is subject to other terms and conditions. Refer to applicable Warranty and Maintenance Guide for full details.